# VOLUME CONTENTS


| 1991 | VOLUME 33 | NUMBER 1 |
|---|---|---|
| V. G. KULICHIKHIN and N. A. PLATÉ | 1 | Blend composites based on liquid crystal thermoplasts. Review |
| T. A. FILATOVA, D. A. STRODE and B. A. PURIN | 38 | Liquid crystals in polymeric membranes. Review |
| A. M. LIPANOV, M. YU. AL'ES and O. I. YEVSTAF'EV | 51 | Numerical modelling of the stress–strained state of polymer systems being cured |
| N. N. RZHEVSKAYA, A. YE. SOKOLOV, N. M. RODIONOVA, V. L. TSAILINGOL'D, A. N. PETROV and V. N. KREITSBYERG | 59 | Spectral study of complexes with charge transfer with polyiodide chains |
| A. A. TAGER and A. P. SAFRONOV | 66 | Complexing in aqueous and non-aqueous solutions of polyvinylazoles |
| L. I. VALUYEV, V. V. CHUPOV, T. A. VALUYEVA, L. V. VANCHUGOVA, V. A. SINANI, O. V. NOAH and N. A. PLATÉ | 74 | Structure and properties of water-soluble protein derivatives and hydrophilic polymers |
| N. V. MOROZOVA and V. A. TOPOLKARAYEV | 79 | Statistical aspects of the plastic fracture of a filled high-density polyethylene |
| S. S. MIN'KO, R. V. KUCHER, B. R. SMIRNOV and I. A. LUZINOV | 85 | Kinetics of radical polymerization in the presence of a solid inhibitor |
| L. M. ZLOTNIKOV, T. V. KREITSER, YE. L. PONOMAREVA, V. P. KAZAKOV and V. P. BUDTOV | 93 | Experimental and calculated kinetic parameters of the polymerization of ethylene using a titanium magnesium catalyst and the molecular mass distribution of the polyethylene |
| B. A. LURE, Z. T. VALISHINA and B. S. SVETLOV | 99 | Kinetics and mechanism of the chemical transformation of nitrocellulose under the action of aqueous sulphuric acid solutions |
| A. T. KALASHNIK, S. P. PAPKOV, G. V. RUDINSKAYA and L. P. MILKOVA | 107 | Liquid crystal state of cellulose |
| S. YE. VARYUKHIN and M. G. ZAITSEV | 113 | Allowance for the transitional layer in the statistical theory of the structure of amorphous regions in oriented polyethylene |
| YU. F. SHUTILIN | 119 | Use of the Williams–Landel–Ferry and Arrhenius equations in describing the relaxational properties of polymers and polymer homologues |
| R. R. GARIFULLIN, A. G. FARRAKHOV and V. G. KHOZIN | 128 | A Rayleigh light scattering method of studying the structure of epoxide oligomers |
| M. A. MARKEVICH, V. N. STOGOVA and A. YA. GORENBERG | 132 | Sorption and diffusion of toluene in blends of low-density polyethylene with polyvinylchloride |
| A. A. MERKUR'EVA and T. M. BIRSHTEIN | 141 | Orientational ordering in two-dimensional athermal solutions |
| S. G. KIRYUSHKIN, I. G. AGATOVA, E. V. SAKHAROVA, E. E. POTAPOV and V. A. SHERSHNEV | 148 | Oxidation of polyisoprene on catalytically active substrates controlled by oxygen diffusion |
| V. N. SHOGENOV, V. N. BELOUSOV, V. V. POTAPOV, G. V. KOZLOV and E. V. PRUT | 155 | Stress–strain curves of glassy poly(arylate sulphone) described in terms of rubber elasticity |
| A. V. SEMAKOV, G. YA. KANTOR, O. V. VASIL'YEVA, I. I. DOBROSOL, B. S. KHODYREV and V. G. KULICHIKHIN | 160 | Viscoelasticity and effects of interphase interaction in blends of conventional and liquid-crystalline thermoplasts |

| 1991 | VOLUME 33 | NUMBER 2 |
|---|---|---|
| AL. AL. BERLIN, YU. A. PROCHUKHAN, K. S. MINSKER and N. S. YENIKOLOPYAN | 169 | Optimization of the molecular characteristics of a polymer in fast polymerization processes. Review |

| | | |
|---|---|---|
| A. V. Tkachev, V. A. Tverskoi and V. P. Zubov | 196 | Structural effects during the formation of intermolecular polymeric complexes with charge transfer |
| O. V. Mukbaniani, V. A. Achelashvili, V. Yu. Levin and L. M. Khananashvili | 201 | Arylenecyclosiloxane oligomers and block copolymers based on them |
| L. N. Russiyan, P. Ye. Matkovskii, V. N. Noskova, A. Kh. Yusupbekov, L. N. Raspopov, V. M. Rudakov and V. A. Shtarkin | 206 | Aspects of the copolymerization of ethylene with acetylene on complex organometallic catalysts |
| I. V. Astaf'eva, R. I. Kalyuzhnaya, Kh. Kh. Khul'chayev, L. A. Tatarova, T. G. Yermakova, A. B. Zezin and V. A. Kabanov | 216 | Conditions for the formation of water-soluble and -insoluble interpolymer complexes of partially quaternized poly-1-vinyl-1,2,4-triazole |
| A. V. Gonyuk, D. R. Sharafutdinova, Yu. Ya. Yefremov, I. Yu. Averko-Antonovich, R. L. Korshunov, L. A. Averko-Antonovich and B. Ya. Teitel'baum | 224 | Structure and composition of the products of the interaction of styrene with elementary sulphur |
| Ye. V. Kuznetsova, A. G. Lipson, D. M. Sakov and N. I. Morozova | 230 | Mechanism of the interaction in a vinylidene fluoride copolymer + aminoalkoxysilane + metal system |
| V. M. Baranovskii, A. M. Tarara, A. A. Khomik, V. Ya. Bulgakov and V. N. Kestel'man | 237 | Study of the thermodynamics of the melting and kinetics of isothermal crystallization of isotactic polypropylene at raised pressures |
| V. V. Kuznetsov, O. S. Matyukhina and M. I. Siling | 242 | Formation of space–time structure in fluctuational processes of curing of carbamidoformaldehyde resins |
| N. N. Komova, O. N. Boiko, G. Ye. Zaikov and S. V. Portnenko | 247 | Aspects of the degradation of polystyrene on its intensive reprocessing in blends with polyethylene |
| B. M. Ginzburg, Sh. Tuichiyev and A. M. Kuznetsov | 253 | Microdeformation properties of the oriented amorphous–crystalline polymers |
| V. I. Tsaryuk and A. V. Frantsesson | 260 | Infrared study of the water contained in cellulose |
| S. R. Ivanova, E. F. Gumerova, Al. Al. Berlin and K. S. Minsker | 268 | Features of the cationic degradation of polyolefins with various structures |
| V. L. Sokolova, I. F. Gavrilenko, Ye. I. Tinyakova, V. L. Kofman and B. A. Dolgoplosk | 275 | Polymerization of piperylene in the presence of a heterogeneous chromium catalyst |
| A. A. Tager, S. M. Yushkova, L. V. Adamova, S. V. Kovylin, L. V. Berezov, V. B. Mozzhukhin and V. V. Guzeyev | 282 | Thermodynamics of the interaction of a copolymer of methyl methacrylate and methacrylic acid with plasticizers and their mixtures |
| I. I. Tverdokhlebova, O. I. Sutkevich, Yu. P. Polyakov, L. Ye. Guselnikov and S. A. Bashkirova | 288 | Hydrodynamics and conformation of polyethylene–polysilylene molecules |
| V. Ye. Dreval', V. V. Zuev, Ye. V. Kotova, P. I. Khokhlov, I. A. Volegova, Ye. M. Antipov, Yu. K. Godovskii, S. S. Skorokhodov and V. G. Kulichikhin | 295 | Rheological and structural features of liquid crystal polyalkylene fumaroyl-*bis*-4-oxybenzoates |
| A. A. Dulov, A. I. Sherle, L. A. Abramova, V. R. Epshtein and D. P. Shashkin | 305 | Electrical properties of nonmetallic and metallic oligo- and polyphthalocyanines of various structures |
| V. I. Nedelkin, I. S. Ivanova and V. A. Sergeyev | 311 | Synthesis of polynaphthylene sulphides from naphthalene and sulphur in the presence of $AlCl_3$ |
| V. N. Tsvetkov, L. N. Andreyeva, A. P. Filippov, Ye. V. Belyneva, A. Yu. Bilibin and A. R. Stepanova | 316 | Dynamo-optical and electro-optical properties of solutions of diphenyl-substituted poly-*para*-phenylene terephthalate in polar and non-polar solvents |
| A. Yu. Kryukov, A. A. Pakhratdinov, Ye. B. Khailova, A. V. Vannikov, Kh. Kh. Kherkhold and T. Stolle | 324 | Photoelectrical characteristics of layers based on linear polyadducts of aromatic amines with diepoxides |
| G. F. Myachina, T. G. Ermakova, V. N. Salaurov, E. I. Brodskaya, T. I. Vakulskaya and V. A. Lopyrev | 332 | Physicochemical and electrophysical properties of polybenzimidazolylvinylenes |

A. L. PANIN, V. V. KONOVALOV and M. L. KERBER — 337 — On the relation between the durability of glass–cloth–base laminates and the results of short-time mechanical bending tests

A. L. VOLYNSKII, L. M. YARYSHEVA, O. V. ARZHAKOVA and N. F. BAKEYEV — 344 — Electron-microscopic study of structurization of low-molecular inorganic compounds introduced by counter-diffusion into the porous structure of a polymer strained in adsorption-active medium

L. N. RASPOPOV, P. YE. MATKOVSKII, G. P. BELOV, V. N. NOSKOVA, L. N. RUSSIYAN, G. I. DAVYDOVA, V. A. SHTARKIN, V. M. RUDAKOV and A. KH. YUSUPBEKOV — 350 — Properties of block-copolymers of ethylene with acetylene, prepared on complex organometallic catalysts

N. V. FOMINA, T. A. BOL'SHAKOVA, N. A. SLOVOKHOTOVA, F. F. SUKHOV and I. V. TYUL'PINA — 363 — Effect of chlorine-containing admixtures on radiation-induced polymerization of styrene and vinyl butyl ether

S. YE. VARYUKHIN and M. G. ZAITSEV — 368 — Shape of crystallites and structure of amorphous regions in oriented polymers

YE. V. GOROKHOVA, I. L. DUBNIKOVA, F. S. D'YACHKOVSKII, YU. M. BUDNITSKII, V. G. KRASHENINNIKOV and M. S. AKUTIN — 374 — Modification of high-density polyethylene during synthesis

**Methods of investigation**

M. A. MIRKIN — 381 — A method for measuring osmotic pressure of low-molar-mass compounds in polymers



**1991 VOLUME 33 NUMBER 3**



N. G. MARINA, YU. B. MONAKOV, Z. M. SABIROV and G. A. TOLSTIKOV — 387 — Lanthanide compounds—catalysts of stereospecific polymerization of diene monomers. Review

S. N. IVANISHCHUK, N. A. BORDYUK, YU. S. LIPATOV and B. S. KOLUPAYEV — 417 — Study of the thermodynamic compatibility of the polyvinyl chloride–polyvinyl butyral system

V. A. AULOV — 422 — Thermoluminescence of polymers irradiated at room temperature and at high pressure

S. N. CHVALUN — 428 — Calculation of X-ray diffraction in the structure of highly oriented polyethylene

YU. B. PODOL'NYI, V. A. BOGOSLOVSKAYA, V. A. KROL' and I. G. LIBERMAN — 436 — Aspects of the copolymerization of butadiene with propylene under the influence of catalytic systems based on trialkylsiloxy derivatives of vanadium and titanium

L. M. ZLOTNIKOV, YE. L. PONOMAREVA, V. A. GRIGOR'EV and V. P. BUDTOV — 443 — Role of the organoaluminium compound on polymerization of ethylene on titanium–magnesium catalysts

V. V. KOCHERVINSKII, V. G. SOKOLOV and V. M. ZUBKOV — 450 — Influence of the molecular structure on characteristics of the electric hysteresis of polyvinylidene fluoride and its copolymers

N. P. APUKHTINA, I. V. DAL'GREN, N. YE. LUKINA, T. A. YAGFAROVA, A. T. GUBAIDULLIN and B. YA. TEITEL'BAUM — 458 — On the properties of network segmented polyester urethanes

V. N. KISLENKO and A. A. BERLIN — 466 — Kinetics of graft polymerization of methyl acrylate to water soluble polysaccharides

L. S. SHEININA, R. A. VESELOVSKII, L. A. MARKOZSKAYA and V. V. DAVIDENKO — 473 — Reactive oligourethanes and network polymers based on incompatible oligomers

V. A. SERGEYEV, V. K. SHITIKOV, A. S. KURAPOV, L. I. KOMAROVA, V. U. NOVIKOV and I. P. ANTONOVA-ANTIPOVA — 479 — Curing of oligophenylenes containing acetylene groups

S. V. BOGDANOVA, V. I. YELISEYEVA and F. A. BABIBIKOV — 487 — Role of interphase interactions in formation of the structure of particles and films of microcompositional latex polymers

M. B. DAVYDOVA and YU. P. YAMPOLSKII — 495 — An inverse gas chromatography study of sorption in polyphenylene oxide

I. V. BLAGODATSKIKH, L. V. DUBROVINA, S. A. PAVLOVA, A. A. SAKUNTS, S. N. SALAZKIN, V. V. SHAPOSHNIKOVA and V. A. SERGEYEV — 501 — A study of the properties of aromatic polyester ketone solutions and determination of the molecular mass characteristics of the ketone

A. P. Voznyakovskii, A. N. Genkin and N. A. Petrova — 509 — A study of the sorption properties of thin films of polyblock block-copolymers of phenylsilsesquioxane and linear polysiloxanes by inverse gas chromatography

B. Y. Lebedev, V. G. Vasilev and I. S. Galanova — 516 — Calorimetric and thermographic study of polytrichlorethanal over the 0–420 K range

S. A. Vshivkov — 522 — Thermodynamics of crystalline and amorphous phase separation of polymer solutions

A. M. Aladyshev, V. I. Tsvetkova and F. S. Dyachkovskii — 529 — Polymerization of propylene on microspherical $TiCl_3$ using a combined cocatalyst

T. A. Bykova, Ye. G. Kiparisova, B. V. Lebedev, K. A. Mager and Yu. G. Gololobov — 537 — A calorimetric study of ethyl-α-cyanoacrylate and its polymerization and a study of polyethyl-α-cyanoacrylate at 13–450 K and normal pressure

Ye. V. Gnedin, R. M. Gitina, S. V. Shulyndin, G. N. Kartashov and S. N. Povikov — 544 — Investigation of phosphorus-containing foam-forming systems as combustion retardants for polypropylene

F. M. Gumerov, V. A. Silayev, V. F. Sopin and G. M. Marchenko — 550 — A study of cotton cellulose nitrates by the spin-probe method

L. P. Razumovskii, L. L. Razumova, A. A. Veretennikova, M. B. Pestova and A. L. Iordanskii — 555 — Domain structure of Vitur T-0533 segmented polyurethane

K. I. Bolyachevskaya, A. A. Litmanovich, S. V. Markov, N. N. Molotkova, V. P. Pshenitsyna and I. M. Papisov — 562 — Thermolysis of polycomplex compositions based on polyacrylic acid and a urea–formaldehyde polymer

A. V. Efimov, V. Yu. Shcherba and N. F. Bakeyev — 568 — Effect of drawing conditions on structural parameters of crazes in crystalline poly(ethylene terephthalate)

L. G. Kazaryan, V. A. Vasil'ev, N. V. Smirnova, G. A. Gabrielyan and L. S. Gal'braikh — 575 — Heterophase grafting polymerization of methacrylic acid onto poly(caproamide) fibres and the structure of the graft copolymer

S. V. Shilov, T. M. Birshtein, B. Z. Volchek and A. N. Goryunov — 581 — A study of the effect of the liquid crystalline state on the conformational structure of macromolecules

O. N. Tretinnikov and R. G. Zhbankov — 589 — Molecular structure and glass temperature in surface layers of poly(methyl methacrylate) films. IR spectroscopic study

**Methods of investigation**

A. Yu. Sasov, T. D. Ermakova and Yu. M. Lotmentsev — 597 — Quantitative analysis of images depicting structure of polymers and polymer composites

N. B. Griko, A. A. Timchenko, A. I. Kipper, I. A. Baranovskaya, S. Ya. Lyubina, S. I. Klenin and I. N. Serdyuk — 603 — Separation by dynamic light scattering of internal motion in polymer coils from Brownian motion

**1991** **VOLUME 33** **NUMBER 4**

T. I. Usmanov — 611 — NMR spectroscopy of polysaccharide derivatives and their molecular structure. Review

G. A. Medvedev and Yu. Ya. Gotlib — 636 — Liquid crystalline nematic ordering in lattice models of chain macromolecules

N. M. Bol'bit, Yu. N. Korneyev, V. B. Taraban, V. P. Sichkar', A. L. Izyumnikov and V. A. Chevychelov — 642 — Influence of the packing of the polystyrene microdomain in block copolymers of styrene with butadiene on their electroconducting properties

Ye. E. Pashkovskii and T. G. Litvina — 655 — Solutions of mesogenic polymers in nematic solvent: temperature and molecular mass dependences of the value of rotational viscosity

Yu. S. Lipatov, V. V. Shevchenko, G. A. Vaspl'evskaya and A. Ye. Fainerman — 662 — Anion-active bi-anchor surfactive oligourethanes

S. A. Kulikov, N. V. Yablokova and Yu. A. Aleksandrov — 667 — Effect of inhibiting additives on the emulsion (co)polymerization of butyl acrylate and methacrylic acid

N. V. Pogodina, A. B. Mel'nikov, A. L. Rusanov, S. V. Vinogradova and I. I. Ponomarev — 673 — Hydrodynamic and conformational properties of molecules of rigid chain polynaphthoylene imidoquinazoline

| | | |
|---|---|---|
| N. B. Mel'nikova and Ye. G. Kochneva | 681 | Features of the iodide modification of polypyromellitimide |
| L. M. Terman and L. S. Kochneva | 688 | Influence of the method of preparation of polymethyl methacrylate samples on their thermooxidative stability |
| G. I. Listvoin, I. M. Raigorodskii, E. Sh. Gol'dberg, V. V. Kireyev and L. K. Tsivinskaya | 695 | Influence of compositional heterogeneity on the structure, phase state and properties of concentrated solutions of polycarbonate–polydimethylsiloxane block copolymers and on the product membranes |
| V. K. Skachkova, G. A. Vakhtberg, L. S. Bekhli, I. M. Bel'govskii, R. M. Levit and Yu. G. Chikishev | 702 | On the influence of additions of phthalocyanine metal complexes on the low temperature pyrolysis of cellulose hydrate |
| N. A. Yakunin, A. P. Moryganov and B. N. Mel'nikov | 708 | Reasons for the nonadditivity of the plasticizing action of water–alcohol mixtures on cellulose triacetate |
| A. M. Arzymanyan, A. A. Matnishyan, M. I. Fedorov and Sh. R. Melkonian | 714 | Homopolycondensation of aniline halides: synthesis of a regular structured polyaniline |
| L. A. Fedorova, So. Zen Uk, S. F. Bartoshevich, S. I. Klenin and B. L. Yerusalimskii | 720 | Grafting of acrylonitrile and methyl methacrylate to poly-2-vinylpyridine, activated by *tris*-$\pi$-allylchromium |
| N. V. Pogodina, I. N. Bogatova, A. L. Rusanov, S. V. Vinogradova and I. P. Ponamarev | 727 | Flow birefringence in solutions of rigid chain polynaphthoylene imidoquinazoline |
| V. G. Vasilev and B. V. Lebedev | 735 | Thermodynamics of trichlorethanal, its polymerization in bulk and in polytrichlorethanal within the 0–330 K range |
| L. L. Burshtein, S. V. Zhukov, V. P. Malinovskii, A. M. Korshun and S. S. Skorokhodov | 743 | Molecular mobility in solutions of segmented polyesters |
| T. V. Kozlova, S. V. Vdovina and V. V. Zharkov | 749 | Relation between the spectral characteristics of IR absorption bands in the urethane group and the rigid block content of linear polyetherurethanes |
| V. V. Sheveleva and E. M. Kartashov | 755 | Theory of the complete isotherm on the durability of polymers in surface-active media |
| Ye. V. Pisanova, R. S. Krotova, V. A. Dovgyalo, V. A. Lapitskii, T. P. Malikova and O. R. Yurkevich | 762 | Structure and properties of epoxide networks modified by oligosulphone |
| M. S. Kligshtein, Z. Z. Rozhkova, A. A. Degtyareva, V. S. Kuts and V. V. Magdinets | 768 | An NMR study of the photochemical initiation of cathodic polymerization of propylene oxide |
| S.-S. A. Pavlova, G. I. Timofeyeva, Ye. V. Stolyarova and N. P. Ledneva | 776 | Certain aspects of the formation of branched macromolecules during synthesis and heat-treatment of polymers such as polyphenylquinoxalines |
| A. M. Aladyshev, V. I. Tsvetkova and F. S. D'yachkovskii | 783 | Polymerization of propylene in bulk in the presence of micro-spherical $TiCl_3$ and various aluminium-organic compounds. Investigation of the kinetics of formation and properties of atactic polypropylene |
| O. A. Bassel', I. V. Saprygina, V. A. Minin, V. V. Ivanov, N. F. Kedrina and N. S. Yenikolopyan | 791 | Kinetic laws for the copolymerization of formaldehyde with 1,3-dioxolane in the presence of the catalyst 3-oxa-perfluoropentane sulphonic acid |
| N. F. Kedrina, O. A. Bassel', I. V. Saprygina, V. A. Minin, V. V. Ivanov and N. S. Yenikolopyan | 799 | Effect of catalyst type on the copolymerization of formaldehyde with 1,3-dioxolane |
| V. V. Vasilevskaya and A. R. Khokhlov | 805 | Swelling and collapse of polymer networks in contact with polymer melts and solutions |
| Sh. A. Azizov, L. A. Sadykova and M. A. Magrupov | 812 | Thermodynamics of mixing cellulose diacetate, poly(2-methyl-5-vinylpyridine) and their mixtures with dimethylformamide |
| A. Ye. Teishev, M. A. Kutsenko, L. N. Gurinovich, V. V. Kalashnik and A. Ya. Malkin | 817 | Creep of polycarbonate. Experiment and calculation from relaxation curves |
| L. E. Starannikova and V. V. Teplyakov | 823 | Modification of polyvinyltrimethylsilane by radiation grafting of acrylic monomers |

**Discussion**

P. N. LAVRENKO — 831 — A note on the correction of constants in the Kuhn–Mark–Houwink–Sakurada equation for polydispersity

**Methods of investigation**

V. S. BATALOV — 834 — Determination of polymer compressibility over a broad temperature interval by dilatometry

**Chronicle**

837 — "Networks 90" Xth International Symposium IUPAC on Polymer Networks

842 — Igor Ivanovich Perepechko (to his 60th birthday)

**1991** **VOLUME 33** **NUMBER 5**

S. G. KARPOVA, A. A. POPOV and G. YE. ZAIKOV — 843 — Influence of external agents on structure and molecular dynamics in oriented polyolefins. Review

V. P. BUDTOV, L. A. ITSKOVICH, V. YA. KABO, V. A. MASLENNIKOV and L. V. MINEYEV — 862 — Viscosity of moderately concentrated solutions of copolymers and the acrylamide homopolymer

T. I. GARMONOVA, N. N. ARTEM'EVA, YE. M. NEKRASOVA, T. K. MELESHKO and V. N. SKLIZKOVA — 871 — Conformational characteristics in solution of molecules of polypyromellitimides based on 4,4′-diaminodiphenyl, 4,4″-diaminoterphenyl and 2,5-di-(*p*-aminophenyl)pyrimidine

L. N. MIZEROVSKII, D. L. SIGNALOV, V. G. SILANT'EVA and YE. S. ARTSIS — 880 — Equilibrium in the polycaproamide–caprolactam–water system below the melting point of the polymer modified by addition of hexamethylene adipamide

M. S. KLIGSHTEIN, G. YA. MENZHERES, A. A. DEGTYAREVA, V. N. VATYLEV and V. V. MAGDINETS — 886 — Behaviour of a sulphonium salt on photo-initiated oligomerization of propylene oxide

B. K. PASAL'SKII, D. A. SACHUK, L. N. GREBINSKAYA and YA. I. LAVRENTOVICH — 892 — Effect of different forms of ionizing radiations on polytrifluorochloroethylene and polyvinyl chloride

L. G. LEBEDEVA, O. V. KLENINA, N. G. KHLEBTSOV and V. I. KLENIN — 896 — Study of phase separation in the system polyacrylamide plus water plus methanol by spectroturbidimetric titration

L. P. RAZUMOVSKII, A. L. IORDANSKII, YE. V. ZOLOTOVA, A. V. TREZVOVA, O. G. FORTUNATOV and G. YE. ZAIKOV — 902 — Aspects of the sorption–diffusion processes in segmented polyether urethanes

V. V. KIREYEV, B. I. D'YACHENKO, V. P. RYBALKO, S. V. VEDYAKIN, O. V. LYCHKOVSKAYA, N. M. TSVETAYEVA and A. V. BRIND — 910 — Aspects of the thermal conversions of three-dimensional polymethylsilsesquioxane

A. L. VOLYNSKII, YE. A. SHMATOK, YE. M. UKOLOVA, O. V. ARZHAKOVA, L. M. YARSHEVA, G. M. LUKOVKIN and N. F. BAKEYEV — 917 — Two types of crazing realized in the course of strain of polymers

YE. A. MAIYER and S. S. IVANCHEV — 924 — Properties of polypropylene synthesized on a titanium–magnesium catalyst

L. M. PRITYKIN, O. V. LAKIZA, G. A. NIAZASHVILI, V. B. KARMAZIN, N. V. KLIMENTOVA, K. A. MAGER, I. A. TUTORSKII and V. L. VAKULA — 930 — Effect of the composition of copolymers of 1,1,2-trichlorobutadiene-1,3 with ethyl- and allyl-α-cyanoacrylates on their adhesional properties

P. N. LAVRENKO, O. V. OKATOVA, KH. DAUTTSENBERG and B. FILIPP — 937 — Diffusion and sedimentation of monosubstituted carboxymethyl cellulose in deca-diluted aqueous cadoxene

YU. YU. YAKOVLEV, N. N. BARASHKOV, V. B. IVANOV, R. N. NURMUKHAMETOV, V. G. KLIMENKO, K. G. KHABAROVA, N. I. KUZ'MIN and V. V. SELIKHOV — 945 — Structure, spectral-luminescence properties and photo-oxidative stability of structure-coloured aromatic polyamides

A. V. YEFIMOV, N. N. VALIOTTI and N. F. BAKEYEV — 954 — Crazing on stretching of samples of high density polyethylene of different molecular mass in liquid media

| | | |
|---|---|---|
| A. V. TREZVOVA, O. G. FORTUNATOV, M. P. LETUNOVSKII, L. L. RAZUMOVA, A. A. VERETENNIKOVA and N. P. TSAKULIN | 961 | Correlation between the microstructure and properties of haemocompatible polyetherurethane ureas |
| L. S. SHEININA, SH. G. VENGEROVSKAYA, R. A. VESELOVSKII and V. V. DAVIDENKO | 967 | The role of adsorption layers of surface active substances on the formation of polyepoxides |
| V. V. VASILEVSKAYA, YE. YU. MRAMARENKO and A. R. KHOKHLOV | 974 | Theory of the collapse of polyelectrolyte networks in solutions of ionogenic surfactants |
| G. V. VINOGRADOV, YU. YU. BIT-GEVORGIZOV, YE. L. FRENKIN and YU. YU. PODOL'SKII | 983 | Properties and features of the structure of polybutadiene crosslinked under pressure |
| N. M. GUL'TSEVA, T. M. USHAKOVA, A. M. ALADYSHEV, L. N. RASPOPOV and I. N. MESHKOVA | 987 | Influence of the monomer nature on the activity of the supported titanium catalyst of polymerization of α-olefins |
| YU. M. MIKHAILOV, L. V. GANINA, A. YE. CHALYKH and S. G. KULICHIKHIN | 994 | Mutual diffusion and phase equilibrium in the polysulphone–solvent type systems |
| V. M. POLIKARPOV, YE. V. MATUKHINA, YU. P. POLYAKOV, P. M. MATVEICHEV, N. V. USHAKOV, N. B. BESPALOVA, I. V. RAZUMOVSKAYA and YE. M. ANTIPOV | 1001 | Study of polyorganocarbosilanes based on calculation of the volume increments |
| A. K. ANDRIANOV, YU. A. OSINKIN, V. YE. IGONIN and N. A. PLATÉ | 1006 | Kinetics of the solvolytic reaction between polymer hydrogels carrying oxime groups and O,O′-diethyl-O-*p*-nitrophenyl phosphate |
| A. V. DOBRYNIN and I. YA. YERUKHIMOVICH | 1012 | Theory of weak supercrystallinity in melts of two-component copolymers of complicated chemical structure. Fluctuation effects |
| S. G. KOSTROMIN, N. S. IVANOVA, M. V. SOBOLEVSKII and V. P. SHIBAYEV | 1028 | Comb-like liquid-crystalline polysiloxanes with cyandiphenyl mesogenic groups |
| S. R. NANUSHYAN, A. B. POLEES and T. P. GRIBANOVA | 1033 | Relation between the mechanical properties of organosilicon composites cured by the hydrosilylation reaction, with the parameters of vulcanizates |
| YU. E. KIRSH, YU. A. FEDOTOV, N. A. IUDINA, D. YU. ARTEMOV, N. A. YANUL' and T. N. NEKRASOVA | 1040 | Polyelectrolyte properties of sulphur-containing polyamides based on isophthalic and terephthalic acids in aqueous solutions |
| V. B. GOLUBEV, L. M. BULGAKOVA, A. V. LUNINA, D. G. GROMOV and D. V. VEZENOV | 1047 | Mechanism of spontaneous initiation of alternating copolymerization of sulphur dioxide with electron-donor monomers |
| A. A. ASKADSKII and T. R. RAZMADZE | 1054 | Universal calculation scheme for computing surface tension of organic liquids and polymers |



**1991** **VOLUME 33** **NUMBER 6**



| | | |
|---|---|---|
| A. A. CHUIKO, V. S. SPERKACH, V. M. OGENKO, T. P. TANTSYURA, L. N. GANYUK, L. V. DUBROVINA and A. L. STRIBULEVICH | 1061 | Acoustic spectra of some polypropylene glycols. Rotational-isomer relaxation |
| A. A. CHUIKO, V. S. SPERKACH, V. M. OGENKO, T. P. TANTSYURA, L. N. GANYUK, L. V. DUBROVINA and B. T. YELEYUSINOV | 1066 | Acoustic spectra of some polypropylene glycols. Mechanism of structural relaxation |
| N. N. RZHEVSKAYA, A. YE. SOKOLOV, A. N. PETROV, V. N. KREITSBYERG and V. L. TSAILINGOL'D | 1070 | Electrochemical and spectral study of solid AgI and LiI electrolytes doped with polymers and copolymers of 2-vinylpyridine with N- and S-containing monomers |
| R. L. KHALFIN | 1075 | Determination of the volume and density of inter- and intrafibrillar amorphous components in partially crystalline polymers |
| S. YE. ARTEMENKO, L. G. PANOVA, V. I. BYESSHAPOSHNIKOVA and L. D. SKREBNEVA | 1085 | Effect of phosphorus-containing antipyrenes on the processes of coke formation on combustion of polymeric composite materials |
| YE. V. ANUFRIYEVA, M. R. RAMAZANOVA, M. G. KRAKOVYAK, V. B. LUSHCHIK, T. N. NEKRASOVA and T. V. SHEVELEVA | 1091 | Interpolymeric complexes of poly-*N*-vinylamides with polycarboxylic acids in solvents of varied nature |

| | | |
|---|---|---|
| Ye. M. Gotlib, O. M. Voskresenskaya, L. V. Verizhnikov, A. G. Liakumovich and P. A. Kirpichnikov | 1097 | Radical processes on curing epoxy oligomers with dimethylaminomethylphenols |
| P. V. Zamotayev and Z. O. Strel'tsova | 1103 | Stabilization of polyethylene films by photochemical crosslinking in the presence of sulphur monochloride and sulphuryl chloride |
| M. V. Bui, Ye. N. Sokolov, A. V. Rogachev and A. K. Novikov | 1109 | Orientational processes on casting polymers and their influence on the mechanical properties |
| A. A. Darinskii, Yu. Ya. Gotlib, A. V. Lyulin and L. M. Neyelov | 1116 | Computer simulation of local dynamics of a polymer chain in the orienting field of the liquid crystal type |
| A. N. Krasovskii, D. N. Polyakov, V. G. Baranov and S. S. Mnatsakanov | 1125 | Concentration dependences of the viscosity and structure of diane epoxide oligomers in solutions |
| A. N. Krasovskii, D. N. Polyakov, V. G. Baranov, S. S. Mnatsakanov and A. V. Varlamov | 1132 | Hydrodynamic behaviour of cellulose triacetate in solution and structure of the interface |
| A. T. Govorkov, Ye. V. Muryshkina, G. P. Khokhlova and Ye. A. Bannova | 1138 | Radiation-induced bulk polymerization of 2-methyl-5-vinyltetrazole under $\gamma$-irradiation |
| A. A. Askadskii, T. R. Razmadze, S. N. Salazkin, V. A. Sergeyev, A. V. Samoryadov, K. A. Bychko, O. V. Kovriga, T. M. Babchinitsov and A. Varada Radjulu | 1143 | Mechanical properties of materials based on polyketone and its blends with polysulphone |
| Yu. I. Matveyev and A. A. Askadskii | 1154 | Additive scheme for determining the activation energy of low temperature transitions in polymers |
| A. A. Baulin and V. M. Kopylov | 1161 | Kinetic characteristics of chain propagation and transfer to aluminium alkyl in the high temperature polymerization of ethylene on Ziegler-type titanium–magnesium catalysts |
| V. A. Bershtein, L. M. Yegorova, V. M. Yegorov, N. N. Peschanskaya, A. B. Sinani, P. N. Yakushev, O. K. Barashkov and R. S. Barshtein | 1168 | Prediction of plasticization effects in polyvinyl chloride systems containing one and two plasticizers |
| N. V. Kozhevnikov, M. D. Goldfein, B. A. Zyubin and A. V. Trubnikov | 1175 | Kinetic features of the emulsion homo- and copolymerization of certain water soluble polymers |
| A. P. Voznyakovskii, A. N. Genkin, O. S. Chechik, N. A. Petrova and V. G. Moiseyeva | 1184 | Thermodynamics of infinitely dilute solutions of styrene in butadiene–styrene latexes |
| B. R. Tausarova, I. V. Gamalei and Ye. Ye. Yergozhin | 1192 | Water-soluble polymers based on polystyrene and pyridinecarboxylic acid derivatives |
| D. Kh. Khalikov, Z. B. Sharifova, L. P. Shvedova and F. Kh. Safiullina | 1197 | Special features of the ionization of cross-linked ethynylpiperidol polymers |
| A. I. Grigor'yev, G. N. Matveyeva, O. N. Piraner, S. V. Lukasov, A. Yu. Bilibin and A. V. Sidorovich | 1204 | Mesomorphic properties of polymers based on terephthaloyl-*bis*-4-oxybenzoyl-*bis*-4'-oxybenzoate with flexible oxyethylene spacers of various length |
| T. V. Monakhova, A. P. Mar'in and Yu. A. Shlyapnikov | 1209 | Solubility of additives in polyethylene and in aliphatic polyamides. Effect of oxidation |
| L. M. Antonik, V. Z. Annenkova, I. V. Shafeyeva, V. V. Odintsov and M. G. Voronkov | 1214 | Polycondensation of halogenarylenes with sodium sulphide and specific features of polymer growth |
| A. N. Zigel', V. M. Ryabikova, L. N. Pirozhnaya, G. S. Popova and L. Ya. Madorskaya | 1224 | Composition and monomer sequence distribution in ternary copolymers tetrafluoroethylene–ethylene–hexafluoropropylene determined by pyrolytic gas chromatography |
| L. N. Makarova, Yu. B. Shilov, V. A. Bunin and E. A. Grigoryan | 1230 | Kinetics of oxidation of ethylene–allene copolymers |
| Ye. A. Karpov, A. E. Bitskii, B. V. Strel'tses and G. K. Yel'yashevich | 1236 | Compliance and time-to-break of highly oriented polyethylene |
| V. S. Yeremin, V. S. Voishchev, V. I. Sidorenko, A. F. Klinskikh, V. P. D'yachkova and Yu. M. Sakharov | 1241 | Study of the features of molecular mobility in a polymeric Schiff base |

**Methods of investigation**

T. M. Zimina, Ye. Ye. Kever, Ye. Yu. Melenevskaya, V. N. Zgonnik and B. G. Belen'kii — 1250 — Experimental verification of the concept of chromatographic "invisibility" in critical chromatography of block copolymers

1255 — For the guidance of authors on the use of abbreviations and symbols in the scientific press dealing with high molecular mass compounds

**1991 VOLUME 33 NUMBER 7**

1257 — Sergei Sergeyevich Medvedev

S. A. Pavlov and E. N. Teleshov — 1259 — Use of radiation graft polymerization for synthesizing and modifying gas-separating membranes—Review

N. I. Pakuro, Ye. D. Rogozhkina and D. K. Polyakov — 1286 — Study of the polymerization of styrene on exposure to *n*-butyl lithium in aromatic solvents as the first stage of the synthesis of thermoelastoplasts

N. I. Pakuro, Ye. D. Rogozhkina, O. N. Khromova and D. K. Polyakov — 1290 — Some aspects of the anionic polymerization of *p*-methylstyrene

Ye. V. Novikova, D. K. Polyakov and V. V. Troitskii — 1296 — Study of the interaction of small particles of alkaline metals with α-methylstyrene in non-polar media

G. I. Litvinenko, A. A. Arest-Yakubovich and V. L. Zolotarev — 1304 — Study of the molecular mass characteristics of polymers formed in continuous processes of non-termination polymerization

V. S. Byrikhin, A. I. Nesmelov, V. B. Murachev, Ye. A. Yezhova and T. V. Chulochnikova — 1315 — Realization of "quasi-living" processes on polymerization of isobutylene in the presence of catalytic systems based on aluminium halides

Yu. D. Semchikov, V. F. Gromov and E. N. Teleshov — 1322 — Macromolecular effects in radical polymerization

V. A. Ivanov, V. A. Kaninskii, Ye. B. Brun, B. A. Korolev and M. B. Lachinov — 1336 — Kinetic features of radical polymerization occurring with auto-acceleration

S. A. Pavlov, M. A. Bruk and E. N. Teleshov — 1347 — Linear mechanisms of chain limitation in radical polymerization in heterogeneous systems

Yu. S. Bogachev, Ye. V. Bune, V. F. Gromov, I. L. Zhuravleva, E. N. Teleshov and A. P. Sheinker — 1357 — Solvation of water-soluble polymers in aqueous solutions

Ye. B. Malyukova, S. V. Naumova, I. A. Gritskova, A. N. Bondarev and V. P. Zubov — 1361 — Emulsion copolymerization of vinyl and diene monomers with surfactant comonomers

I. A. Gritskova, S. V. Zhachenkov, N. I. Prokopov and P. Ye. Il'menev — 1367 — Emulsion polymerization of hydrophobic monomers in highly-dispersed emulsions

I. A. Gritskova, G. A. Simakova and D. S. Muradyan — 1375 — The dispersed composition of monomer emulsions and its effect on the mechanism of polymer–monomer particle formation

M. S. Tsarkova and I. A. Gritskova — 1383 — Emulsion polymerization of α,β,β-trifluorostyrene in the presence of quaternary ammonium salts

L. L. Stupenkova, T. A. Baiburdov, V. F. Gromov and E. N. Teleshov — 1388 — Inverse suspension polymerization of acrylamide

A. P. Orlenko, E. N. Teleshov and G. N. Gerasimov — 1395 — Polymerization of crystalline diacetylenes in the micropores of a polymer matrix

S. M. Fomin, G. N. Gerasimov, A. I. Stash, V. M. Vozzhennikov, I. V. Bulgarovskaya and E. N. Teleshov — 1402 — Synthesis and properties of polyacetylenes with electron donor substituents

Ye. A. Sinevich, A. M. Prazdnichnyi, M. A. Bruk, G. G. Isayeva, E. N. Teleshov and N. F. Bakeyev — 1409 — Radiation polymerization of *N*-vinylpyrrolidone in polyethylene terephthalate crazes

R. N. Nurmukhametov, S. N. Dyadyushkina, K. A. Mailyan, A. M. Sergeyev, A. V. Pebalk and I. Ye. Kardash — 1416 — Nature of the absorption and luminescence centres in films of poly-*p*-xylylene

K. A. Mailyan, A. V. Pebalk, Ye. I. Mishina and I. Ye. Kardash — 1420 — Physicochemical properties and morphology of poly-*p*-xylylene film surfaces

| | | |
|---|---|---|
| V. A. Sochilin, A. V. Pebalk, V. I. Semenov and I. Ye. Kardash | 1426 | Sulphonated poly-*p*-xylylene |
| M. A. Mikhailenko, S. N. Chvalun and I. Ye. Kardash | 1433 | Crystallosolvates of poly[(4,4′-diphenyloxy)-2,5-dicarbomethoxy-terephthalamide] with *N*,*N*-dimethylacetamide |
| N. A. Vasilenko, Ye. I. Akhmet'eva, Ye. B. Sviridov, V. I. Berendyayev, Ye. D. Rogozhkina, O. F. Alkayeva, K. K. Koshelev, A. L. Izyumnikov and B. V. Kotov | 1439 | Soluble polyimides based on 4,4′-diaminotriphenylamine. Synthesis, molecular mass characteristics and solution properties |
| D. V. Pebalk and B. V. Kotov | 1451 | ESR spectra of anion-radicals of cardo polyimides |
| Ye. V. Gnedin, N. V. Kozlova, R. M. Gitina, O. N. Fedoseyeva, M. A. Sevost'yanov and S. N. Novikov | 1458 | Structure of intumescent char formed by pyrolysis and burning of polymers containing intumescent fire retardants |
| A. I. Shul'gin and V. A. Aulov | 1466 | On the role of the hyperbaric phase in the formation of crystals with extended chains in polyethylene under high pressure |



**1991 VOLUME 33 NUMBER 8**



| | | |
|---|---|---|
| V. V. Yegorov, S. Yu. Zaitsev and V. P. Zubov | 1475 | Radical polymerization of monomers capable of association in water. Review |
| Ye. V. Anufriyeva, V. D. Pautov, M. G. Krakovyak and B. V. Lushchik | 1497 | Influence of the chemical structure of heteropolymers on the formation and stability of interpolymeric complexes |
| I. G. Silinskaya, T. N. Spirina, A. V. Novoselova, O. V. Kallistov, A. V. Sidorovich, Yu. N. Sazanov and V. N. Zgonnik | 1505 | Structuring in solutions of blends of a polyamido acid with polyacrylonitrile and the properties of the films based on them |
| V. V. Kochervinskii and V. G. Sokolov | 1512 | Influence of the structural features of the amorphous phase on the ferroelectrical characteristics of the copolymers of vinylidene fluoride with tetrafluoroethylene |
| T. G. Monakhova, L. I. Batuyeva, T. B. Zavarova and A. P. Savel'ev | 1521 | Structuro-morphological model of impact resistant polyvinyl chloride |
| S. F. Bartoshevich, I. A. Nemchinov, V. A. Molotkov and S. I. Klenin | 1526 | Aspects of the degradation of water-soluble cellulose derivatives in the course of oxidation by trivalent cobalt salts |
| A. M. Skvortsov, L. I. Klushin and Yu. Ya. Gotlib | 1534 | Anomalous relaxation times of the polymer chain in the grafted monolayer |
| V. M. Kapralova, V. V. Zuyev, O. I. Kol'tsov, S. S. Skorokhodov and A. S. Khachaturov | 1545 | Study of the molecular dynamics of a thermotropic liquid crystalline polymer: polydecamethylene terephthaloyl-*bis*-4-oxybenzoate by $^2$H-NMR spectroscopy |
| T. V. Budtova, N. G. Byel'nikevich, N. P. Ivanova, V. A. Kuznetsova, Ye. F. Panarin, Yu. N. Panov, A. Ya. Sorokin and S. Ya. Frenkel' | 1550 | Dependence of the process of the formation of interpolymeric complexes in aqueous solutions of blends of polyacrylic acid and copolymers of vinyl alcohol and vinyl acetate on the molecular parameters of the components and their total concentration |
| Yu. Ya. Gotlib and Ye. A. Karpov | 1555 | Behaviour of a polymer chain with a high velocity gradient in an extensional hydrodynamic field |
| Ye. A. Sidorovich, A. S. Ramsh, A. Yu. Ivanov, N. S. Surkova, N. M. Belyaninova, S. Ya. Lazarev and V. D. Lobkov | 1563 | Study of the phase state and structural organization of polydimethyl–polymethylphenylsiloxane block copolymers |
| B. A. Lur'ye, V. V. Namestnikov, A. F. Makhotkin, Yu. I. Panarin and S. M. Shebeko | 1570 | Denitration of cellulose nitrate under the action of aqueous nitric acid |
| Yu. M. Boiko, V. V. Kovriga, A. Ya. Goldman and G. D. Myasnikov | 1578 | Stress relaxation in polyethylene reinforced in various technological processes |

| | | |
|---|---|---|
| V. P. Privalko and A. V. Shmorgun | 1585 | Thermodynamic properties of statistical copolymers of ethylene and 1-olefins in the solid state and in the melt |
| A. M. Aladyshev, O. P. Isichenko, P. M. Nedorezova, B. I. Tsvetkova, Yu. A. Gavrilov and F. S. Dyachkovskii | 1595 | Special features of the bulk polymerization of propylene on a titanium–magnesium catalyst in the presence of hydrogen |
| L. L. Gaintseva, G. N. Kurov, V. P. Baryshok, N. F. Lazareva, G. I. Rybalko, V. I. Gaidyalis, A. I. Girdzhyushas and L. S. Romanenko | 1603 | Copolymers of 9-vinylcarbazole with organosilicon vinyl monomers |
| A. I. Kuzavkov, I. L. Ugolev and N. I. Yegorenkov | 1608 | Investigation of the transfer of $Cu^{2+}$ ions in polyethylene films during thermal oxidation on copper |
| A. Ye. Pelekh, V. I. Krinichnyi, A. Yu. Brezgunov, L. I. Tkachenko and G. I. Kozub | 1615 | An EPR study of the relaxation parameters of paramagnetic centres in polyacetylene |
| S. L. Kireyev and A. N. Semenov | 1623 | The theory of structural transitions in microsegregated systems with spherical domains |
| A. S. Kotosonov, S. V. Kuvshinnikov, I. A. Chmutin, V. G. Shevchenko, A. T. Ponomarenko and N. S. Yenikolopyan | 1631 | Anisotropy in the properties and mechanism of conduction in graphite-filled polypropylene |
| M. A. Yeremina, Ye. G. Erenburg, A. S. Skornyakov and V. K. Vasil'ev | 1638 | Role of chain transfer reactions in the formation of molecular weight distribution of polybutadiene prepared by means of an organosodium initiator containing tetrahydrofuran |
| Ye. P. Plotnikova, M. A. Rogunova, R. V. Tal'roze, V. G. Kulichikhin and V. P. Shibayev | 1646 | On the rheological behaviour of low-molecular-mass comb-like nematic polyacrylates |
| S. Ye. Artemenko, L. G. Panova, V. I. Besshaposhnikova and N. A. Khalturinskii | 1653 | Modification of viscose fibres as a method for depressing flammability of polymer composites |
| A. V. Potemkin and Yu. V. Zelenev | 1660 | Effect of simultaneously applied external force fields on molecular mobility in polymers |
| V. V. Yegorov and O. B. Ksenofontova | 1665 | Radical polymerization in mixed micelles of cationic surface-active monomers in water |
| M. Ya. Ioyelovich | 1670 | Supermolecular structure of native and isolated cellulose |
| | | **Methods of investigation** |
| I. N. Sapozhnikova and A. Ye. Chalykh | 1677 | A method for quantitative determination of defects in polymer layers by X-ray microanalysis and scanning electron microscopy |
| V. S. Batalov | 1685 | Measurement of thermokinetic characteristics of polymer crystallization in conditions of incomplete limiting sample crystallinity |



**1991** **VOLUME 33** **NUMBER 9**



| | | |
|---|---|---|
| V. B. Ivanov | 1691 | Magneto-spin effects during the synthesis and chemical conversions of polymers. Review |
| A. I. Bol'shakov and I. M. Barkalov | 1708 | Effect of complexing on the activity of radicals in a polymer chain propagation reaction |
| I. B. Klimenko, N. V. Platonova and S. P. Maiburov | 1715 | IR spectroscopic study in polarized light of a series of thermally treated nitrile polymers |
| D. Kh. Khalikov and G. A. Madzhlisova | 1721 | Thermodynamic analysis of the binding of iodine by network polymers of ethynylpiperidol derivatives |
| Yu. B. Mel'nichenko, V. V. Klepko, V. V. Shilov, V. B. Ivanitskii and L. A. Bulavin | 1728 | Diffusion of a precipitant in a polymeric gel |
| S. Yu. Grebenkin and B. V. Bol'shakov | 1736 | Lifetime of the configuration of the local environment of the molecular probe in polymethylmethacrylate at $-73°C$ |

| | | |
|---|---|---|
| S. Yu. Grebenkin and B. V. Bol'shakov | 1739 | Photo-isomerization in a polymethylmethacrylate matrix. Evolution of the local environment of the reacting molecule |
| A. Ye. Zaikin, V. A. Nigmatullin and B. P. Arkhireyev | 1744 | Distribution of technical carbon in crystallizing polyolefins and their electrical conductivity |
| V. L. Lishchinskii, A. I. Kokorin, S. O. Travin, A. A. Rakhnyanskaya, V. M. Shkinev and V. S. Pshezhetskii | 1750 | Structural and kinetic features of the reactions of polymeric aza crown-acrylates |
| Yu. B. Mel'nichenko and V. V. Klepko | 1759 | A phase diagram of solutions of flexible chain macromolecules |
| P. Ye. Matkovskii, G. P. Startseva, L. F. Kosova and V. N. Mel'nikov | 1765 | Features of the polymerization of hexene-1 in the presence of Ziegler–Natta catalysts fixed on graphite surfaces |
| V. I. Kolegov, M. I. Khramushina, I. N. Yudina, V. G. Marinin, V. S. Etlis and F. D. Nozrina | 1768 | On the molecular mass distribution of polymers in the branched radical polymerization of polyfunctional monomers |
| I. N. Gorbacheva, Ye. Ye. Skorikova, G. A. Vikhoreva, L. S. Gal'braikh and K. K. Babiyevskii | 1778 | On the structure and properties of chitosan sulphate |
| L. V. Smirnova, L. A. Yatsenko, A. G. Boldyrev, S. L. Panasyuk and Ye. N. Kropacheva | 1783 | Copolymerization of butadiene and propylene under the action of iodine-containing titanium catalyst systems |
| T. V. Degtyareva, Val. N. Kudryavtsev, R. E. Aliyev and V. Ya. Kabanov | 1791 | Investigation of the interaction of thionyl chloride with polyacrylic acid radiation grafted to polymers |
| D. K. Klimov and A. R. Khokhlov | 1798 | A polymer chain in a solution of colloidal particles |
| M. G. Zaitsev and S. A. Stremyakov | 1808 | Kinetic model of radical-chain degradation of a system of loaded polymer chains of different length |
| A. F. Maslyuk, G. K. Bereznitskii, V. V. Petrova, V. A. Khranovskii, T. S. Khramova and V. A. Kravchuk | 1816 | Synthesis and properties of water-soluble light-sensitive copolyamides |
| A. A. Askadskii and O. V. Kovriga | 1821 | Effect of branching on the physical characteristics of polymers |
| V. V. Kurashev, V. A. Kotel'nikov, R. B. Shleifman, S. V. Tsutsuran, A. A. Askadskii, V. G. Vasil'yev, V. V. Kazantseva and K. A. Bychko | 1831 | The synthesis and use of three-dimensional structure activators based on *N*-acryloylcaprolactam in the anionic polymerization of caprolactam |
| N. V. Pogodina | 1838 | Orientational–deformational nature of flow birefringence in solutions of worm-like chains |
| Yu. M. Boiko, V. V. Kovriga and A. Ya. Gol'dman | 1848 | Stress relaxation in polyethylene crystallized by orientation |
| A. T. Gubaidullin, B. Ya. Teitel'baum, N. P. Apukhtina, S. M. Yakzhina and T. A. Yagfarova | 1856 | Phase segregation in diethylene glycol (adipate–terephthalate) co-oligomers |
| L. I. Kalontarov and A. T. Bekmukhamedov | 1862 | Comparative mass-spectrometric study of thermal and laser-induced polymer degradation |
| I. I. Vointseva, T. A. Larina and I. I. Yevstifeyeva | 1868 | Interpolymer reaction of two incompatible polymers in solvents of various thermodynamic quality |
| A. A. Donskoi, S. G. Kulichikhin, A. Ya. Malkin, V. A. Shershnev, V. D. Yulovskaya and A. G. Davtyan | 1874 | Change of rheological characteristics of elastomers during the cross-linking induction period |
| N. S. Sultanov and D. S. Nuraliyev | 1879 | A temperature and orientation study of cellulose triacetate structure |
| D. Yu. Likhachev, S. N. Chvalun, Yu. A. Zubov, R. N. Nurmukhametov and I. Ye. Kardash | 1885 | Effect of chemical structural defects on morphology of polyimide films |
| | | **Methods of investigation** |
| B. G. Belen'kii, P. V. Bondarenko, E. S. Gankina, R. A. Zubarev, A. N. Knysh and O. A. Kol'tsova | 1895 | Thin-layer chromatography–mass spectrometry with ionization by californium-252 fission products used for studying molecular mass distribution of oligomeric polystyrenes |
| P. V. Kozlov | 1903 | Kargin Readings |

| | | |
|---|---|---|
| M. D. Goldfein, N. V. Kozhevnikov and A. V. Trubnikov | 1907 | Kinetics and mechanism of the processes of formation of polymer emulsions based on (meth)acrylates. Review |
| V. V. Annenkov and V. A. Kruglova | 1922 | Polyelectrolyte properties of tetrazole-containing copolymers |
| B. K. Donenov and B. A. Zhubanov | 1928 | Conformational properties and equilibrium rigidity of macromolecules of an alicyclic polyimide |
| I. A. Serenkova and Yu. A. Shlyapnikov | 1933 | Kinetics of the high-temperature oxidation of polydiphenylphenylene oxide |
| M. I. Frolova, L. A. Oshmarina, V. I. Chervyakova and E. G. Pomerantseva | 1939 | Thermal decomposition of poly-*n*-butylcyanoacrylate in the presence of various additives |
| S. G. Mamedova✝, A. S. Mamedov, L. V. Medyakova and Z. M. Rzayev | 1945 | Complex-radical cyclocopolymerization of allylacryl(methacryl)ates with donor–acceptor comonomers |
| B. Z. Volchek, A. V. Purkina, S. V. Shilov, A. Yu. Bilibin and A. A. Ten'kovtsev | 1952 | Influence of the liquid crystal state on the conformation of the chains of thermotropic polyesters. Possibility of conformational isomerism in the mesogenic fragment |
| S. G. Mamedova✝, S. A. Rzayeva, L. V. Medyakova and Z. M. Rzayev | 1959 | *Cis–trans* isomer effect in complex-radical copolymerization of methyl-allylmaleates (fumarates) |
| V. V. Kochervinskii and Ye. M. Murasheva | 1967 | Microstructure and ferroelectrical properties of the copolymers of vinylidene fluoride with tetrafluoroethylene of composition 71:29 |
| V. V. Kochervinskii | 1977 | Effect of the type of texture and the phase composition of polyvinylidene fluoride films on their ferroelectrical properties |
| T. I. Borisova, L. L. Burshtein, V. P. Malinovskaya, Ya. S. Freidzon and V. P. Shibayev | 1986 | On the local and the cooperative forms of molecular mobility in solutions of comb-like polymers with flexible side-chains |
| T. I. Borisova, L. L. Burshtein, V. P. Malinovskaya and V. P. Shibayev | 1993 | On the intramolecular ordering and the mobility mechanism in solutions of comb-like polyalkyl methacrylates |
| G. A. Lushcheiken, Ye. G. Rayevskaya, M. K. Polyevaya and Ye. S. Artsis | 1999 | Relaxation phenomena in the polyamidoesters: block copolymers of dodecalactam with oligotetramethylene glycol |
| Ye. M. Antipov, V. M. Polikarpov, V. V. Volkov and E. I. Frenkin | 2006 | Structure of mesophase polyvinyltrimethylsilane |
| G. A. Tishchenko, L. M. Kalyushnana, Yu. M. Boyarchuk, N. I. Afanakina, G. A. Kichigina, D. P. Kiryukhin, L. K. Shatayeva and V. I. Goldanskii | 2014 | Radiation modification of nuclear filters by *N*-vinylpyrrolidone |
| V. N. Ushakova, Ye. F. Panarin, D. P. Kiryukhin, V. M. Munikhes, A. I. Lelyukh, N. N. Ulyanova, I. A. Baranovskaya and S. I. Klenin | 2021 | Radiation-induced bulk polymerization of *N*-vinylpyrrolidone in aqueous solutions and investigation of the molecular characteristics of polyvinylpyrrolidone |
| N. I. Bekasova, N. G. Komarova, L. G. Komarova and V. A. Sergeyev | 2028 | Synthesis and study of *m*-carborane-containing polyiminoimides |
| M. Yu. Zaremskii, A. V. Olenin, Ye. S. Garina, S. I. Kuchanov, V. B. Golubev and V. A. Kabanov | 2036 | Mechanism of photoinitiated radical polymerization of styrene in the presence of benzyldithiocarbamate iniferter |
| A. Yu. Kryukov, A. P. Pakhratdinov, A. V. Vannikov, A. V. Anikeyev and L. I. Kostenko | 2045 | Photogeneration and transport of charge carriers in polyhydroxyamino esters |
| V. G. Vlasenko, A. V. Kozinkin, A. T. Shuvayev, F. M. Ovsyannikov, B. Yu. Khel'mer, L. M. Bronshtein and P. M. Valetskii | 2054 | Investigation of the electronic and atomic structure of a diene–iron tricarbonyl block copolymer and the products of its thermal transformation by X-ray emission and EXAFS spectroscopy |
| A. N. Utkin, Z. A. Sharova, R. M. Vasenin, L. M. Polukhina and Ya. A. Shteinberg | 2061 | Diffusion processes in the system: mechanically activated polyvinyl-chloride–dioctylphthalate |
| A. P. Safronov and A. A. Tager | 2068 | Thermodynamic criterion for the upper critical mixing temperature of solutions of glassy polymers |

| | | |
|---|---|---|
| A. A. Askadskii, V. A. Beloshenko, M. K. Pakter, K. A. Bychko and M. P. Valetskii | 2077 | Change of properties of a densely crosslinked polymer induced by solid-phase deformation and annealing |
| K. K. Kalnin'sh and A. F. Podol'skii | 2085 | Interaction of stilbene with disodium α-methylstyrene tetramer |
| I. A. Matveyeva, I. I. Zhurakovskaya and N. N. Tvorogov | 2094 | A complex approach to the problem of shelf-life and processing of polymerizable compounds. Specific features of weak antioxidants |
| I. S. Kochneva and V. P. Roshupkin | 2104 | IR spectroscopic study of the hydrogen bond network in copolymers of methyl methacrylate with methacrylic acid |
| G. I. Tsereteli and O. I. Smirnova | 2112 | Calorimetric study of the melting of gelatin gels |
| G. I. Tsereteli and O. I. Smirnova | 2119 | Calorimetric study of the glass transition in gelatin |
| A. G. Dement'ev, T. K. Khlystalova, A. I. Demina and P. A. Zinger | 2125 | Structural–physical properties of foam polyurethanes with various foaming agents |



**1991** **VOLUME 33** **NUMBER 11**



| | | |
|---|---|---|
| A. Ya. Malkin and M. I. Siling | 2135 | Scientific principles of present-day and future technologies of synthesis and processing polycondensation polymers. Review |
| Yu. B. Monakov, V. G. Martsina, Z. M. Sabirov, V. G. Kozlov, N. N. Sigayeva and S. R. Rafikov | 2161 | Nature of the active centres of the catalytic system $VOCl_3$–$TiCl_4$–Al-(*iso*-$C_4H_9$)$_3$ on polymerization of piperilene |
| Tszin Chzhenchun, Khi Yundun and Chzhu Yun | 2167 | Study of the conditions of the formation and properties of emulsions formed on polymerization of sodium acrylate in aqueous solution in the presence of polyethylene oxide |
| A. A. Shipayev, L. A. Shumanov, Yu. V. Yevreinov and V. A. Shershnev | 2176 | Effect of the chemical structure of the rigid block on the properties of polyester urethane urea elastomers |
| D. Kh. Khalikov, Z. B. Sharifova and F. Kh. Safiullina | 2182 | Aspects of the interaction of serum albumin with network polymers of ethynylpiperidol derivatives |
| V. V. Ryabenko, D. O. Timoshenko, A. N. Dudka and I. A. Uskov | 2189 | Ionenes based on polyvinyl alcohol and the rheological properties of their solutions |
| M. A. Mikhailenko and I. Ye. Kardash | 2195 | Kinetics of the thermal solid phase imidization of poly(4,4′-diphenyl oxide)-2,5-dicarboisopropoxyterephthalamide |
| Ye. A. Shmatok, S. V. Stakhanova, O. V. Arzhakova, L. M. Yarysheva, A. L. Volynskii and N. F. Bakeyev | 2203 | Structure and permeability of lamellar polypropylene strained in air and in liquid media |
| S. N. Chvalun, A. A. Turetskii, Yu. A. Zubov, V. S. Tikhomirov and N. F. Bakeyev | 2210 | Effect of irradiation on the changes in structural parameters of oriented polyethylene under the action of tensile stresses |
| V. P. Shaboldin, A. I. Krasheninnikov, Yu. V. Yemel'yanov and V. Ya. Fraishtadt | 2216 | Effect of the position of functional groups in oligobutadiene on structuring under the action of transition metal salts |
| V. G. Vasil'ev, L. Z. Rogovina and G. L. Slonimskii | 2222 | Application of the electrostriction method to the study of mechanical relaxation in organosilicon oligomers and gels |
| O. I. Shchegolikhina, V. G. Vasil'ev, L. Z. Rogovina, V. Yu. Levin, A. A. Zhdanov and G. L. Slonimskii | 2228 | Special features of structuring in carboxyl-containing polydimethylcarbosiloxanes |
| N. V. Pogodina and N. I. Bogatova | 2236 | Orientation of flow birefringence in solutions of rigid chain polynaphthoylene imidoquinazoline |
| A. L. Svistkov and L. A. Komar | 2242 | Use of the statistical thermofluctuational strength theory for describing the conditions of adhesional and cohesional fracture of the elastomer matrix of a solid spherical particle |
| T. A. Kostereva, L. A. Shibayev, N. G. Stepanov and Yu. N. Sazanov | 2249 | Interpolymer interaction of polyoxydiphenylene-pyromellitamide acid with poly-2-vinylpyridine |
| N. V. Kozhevnikov and M. D. Goldfein | 2255 | Kinetics of emulsion polymerization of methyl methacrylate and its copolymerization with acryl- or methacrylamide |
| Ye. V. Konyukhova, N. P. Bessonova, S. I. Belousov, V. I. Fel'dman and Yu. K. Godovskii | 2262 | Reactions between components and component compatibility in poly(butylene terephthalate)–polycarbonate blends |

| | | |
|---|---|---|
| B. M. Ginzburg and Sh. Tuichiyev | 2271 | Microstrain behaviour of oriented two-component polymer systems |
| A. T. Govorkov | 2276 | Radiation–chemical processes proceeding in cellulose nitrate in the presence of anti-radiation additives |
| Ya. A. Estrin, L. T. Kasumova and V. K. Kol'tover | 2283 | Analysis of the distribution of functionality types and the mechanism of hydroxyoligobutadiene formation in lithium-initiated polymerization |
| S. S. Gudzera, V. V. Vorona, P. M. Daviskiba and Yu. S. Lipatov | 2288 | Microphase structure of photopolymerizable hybrid adhesives based on urethane-acrylates, alkyd-epoxide resins and polyisocyanates |
| V. G. Kozlov, N. N. Sigayeva, Yu. B. Monakov, V. P. Volodina, I. G. Savel'yeva, N. A. Korogodova and E. S. Filatova | 2296 | Long-chain branching of "lanthanide" 1,4-*cis*-polybutadiene and conditions of its polymerization |
| V. Ye. Smirnova, M. I. Bessonov, V. P. Sklizkova and Ye. M. Nekrasova | 2303 | Mechanical properties and methods of production of high-modulus films based on polyimide blends |
| V. A. Vilenskii, L. I. Kostyuk, V. I. Shtompel', Yu. N. Lipatnikov, Ye. V. Lebedev, M. I. Shandruk and Yu. Yu. Kercha | 2310 | Effect of the concentration of $\gamma$-aminopropyltriethoxysilane on structure and thermophysical properties of filled polyurethanes |
| V. Ye. Dreval', S. D. Artamonova, B. N. Bobrov, V. I. Kleiner, V. V. Barancheyeva, I. A. Litvinov and A. S. Kechek'yan | 2318 | Effect of the nature and content of branched $\alpha$-olefin units on the physico-chemical characteristics of linear polyethylene |
| N. M. Khvoinova, L. M. Terman and S. S. Zislina | 2327 | Synthesis of soluble copolymers from oligomeric organovinylsiloxanes and methyl acrylate or styrene |
| A. A. Askadskii, K. A. Bychko, O. V. Kovriga, S. V. Tsutsuran, R. B. Shleifman and V. V. Kurashev | 2333 | Mechanical relaxational properties of polycaproamide prepared by anionic polymerization of $\varepsilon$-caprolactam in the presence of three-dimensional polyfunctional activators |
| | | **Methods of investigation** |
| B. G. Belen'kii, E. S. Gankina, V. N. Zgonnik, I. I. Malakhova and Ye. Yu. Melenevskaya | 2344 | Thin-layer chromatography of block copolymers: the separation mechanism and determination of polydispersity |



1991 VOLUME 33 NUMBER 12



| | | |
|---|---|---|
| E. A. Maiyer, G. D. Bukatov, A. N. Rasskazov and V. A. Zakharov | 2353 | Polymerization of propylene on highly active titanium–magnesium catalysts in a liquid monomeric medium |
| Yu. R. Kolesnik, O. V. Chervakov, V. Kh. Shapka, I. V. Koval' and A. P. Grekov | 2359 | Interpolyelectrolyte complexes of *N*-organosiloxane poly-2-methyl-5-vinyl pyridiniums with polyacrylic acid |
| T. Misra, M. N. Khan, T. Patel and N. V. Bhatt | 2365 | Small angle X-ray study of sisal fibre using correlation functions |
| S. A. Vshivkov | 2376 | Effect of precipitants on the phase equilibrium of solutions of polystyrene close to the upper and lower critical solution temperatures |
| S. A. Vshivkov and Ye. V. Rusinova | 2383 | Mechanism of phase separation of polystyrene gels disturbed and not disturbed by a mechanical field |
| N. I. Mashukov, G. P. Gladyshev and G. V. Kozlov | 2390 | Structure and properties of high-density polyethylene modified with a highly disperse Fe and FeO mixture |
| O. V. Arzhakova, L. M. Yarysheva, S. Yu. Yermusheva, A. L. Volynskii and N. F. Bakeyev | 2399 | Aspects of the formation of the porous structure of polymer films based on the two-component system PVC plus rubber modifier on their strain in a liquid adsorption-active medium |
| A. S. Smolyanskii, A. P. Sokolov, V. B. Taraban, G. S. Zhdanov, E. R. Klinshpont and V. K. Milinchuk | 2406 | Macroradical-sensitized enhancement of the intensity of the "background" band in the combination scatter spectra of polymethyl methacrylate |
| A. K. Khitrin | 2413 | Simple theory of degradation of polymer networks |
| F. R. Khalafov, F. A. Novruzova, G. M. Faradzhev, A. R. Abramov and B. A. Krentsel' | 2419 | Theoretical and experimental study of the catalytic degradation of polyisobutylene when exposed to strong Lewis acids |

| | | |
|---|---|---|
| Ye. D. Popova and A. Ye. Chalykh | 2424 | Mass transfer in the system cellulose nitrate–ethyl acetate |
| S. G. Karpova, A. A. Popov, G. Ye. Zaikov, K. Barabash and M. Mesko | 2435 | Influence of external effects on the structure and molecular dynamics of oriented copolymers and blends on the basis of polypropylene and polyethylene |
| N. N. Komova, V. M. Gol'dberg, A. N. Kryuchkov, E. V. Prut and V. V. Gustov | 2445 | The change in the properties of blends of polypropylene and high-density polyethylene during high-shear extrusion |
| T. A. Bykova, Ye. G. Kiparisova, B. V. Lebedev, T. I. Guseva, K. A. Mager and Yu. G. Gololobov | 2453 | The thermodynamics of allyloxyethyl-α-cyanoacrylate, its polymerization and the polymer obtained at 0–330 K |
| A. B. Komarova, Ye. G. Dubyaga, G. D. Kovylina, V. G. Karachevtsev and T. Z. Tikhonova | 2459 | Dispersity and rheology of organosilicon block-copolymer–solvent–non-solvent systems and properties of membranes obtained from such systems |
| M. A. Markevich | 2468 | Kinetics of curing of a mixture of aromatic and aliphatic epoxide oligomers–diethylenetriamine and strength-strain properties of networks based on them |
| A. Ya. Fedorov and G. Ye. Litvak | 2477 | Macrokinetic laws of polymerization of isobutylene in a tubular reactor |
| A. A. Askadskii, A. V. Samoryadov, N. Ye. Khramenkov, K. A. Bychko and O. V. Kovriga | 2487 | A study of the strength and relaxation properties of compositions based on polyalkanimide |
| M. P. Tsyurupa, L. A. Maslova, T. A. Mrachkovskaya and V. A. Davankov | 2497 | Intramolecularly crosslinked polystyrene as model of a supercrosslinked network |
| A. T. Gubaidullin, T. A. Yagfarova, S. M. Yakzhina, N. V. Panova, N. P. Apukhtina and B. Ya. Teitel'baum | 2504 | On the phase structure of polyesterurethane ureas based on diethyleneglycol (adipate-terephthalate) cooligomers |
| V. P. Shaboldin and A. K. Stal'nov | 2513 | Rules governing the effect of transition metal cations on structuring of liquid rubbers |
| | | **Methods of investigation** |
| S. I. Kuchanov and M. Ya. Gel'fer | 2519 | A calorimetric method for evaluation of copolymerization kinetics |
| | | **Discussion** |
| N. G. Khlebtsov | 2528 | Anisotropy of the internal field in the theory of birefringence of polymer solutions |